

EXBQA0505

3/4 NPT FXD CON BRAIDED ANTI STATIC



Conduit Fitting, Fixed Straight with External Male Thread, Conduit Size 25mm, 3/4 Inch NPT Thread, Suitable for Unbraided Nylon Conduit, Zone 1 and 2, Zone 21 and 22, IP66 Rating, Nickel Plated Brass

General Information

Extended Product Type	• EXBQA0505
Product ID	• 7TCA297120R0051
EAN	• 5011949003385
Catalog Description	• 3/4 NPT FXD CON BRAIDED ANTI STATIC
Long Description	• Conduit Fitting, Fixed Straight with External Male Thread, Conduit Size 25mm, 3/4 Inch NPT Thread, Suitable for Unbraided Nylon Conduit, Zone 1 and 2, Zone 21 and 22, IP66 Rating, Nickel Plated Brass

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	7412200090

Dimensions

Product Net Weight	276.694 g
--------------------	-----------

Container Information

Package Level 1 Units	10 piece
Package Level 2 Units	100 piece
Package Level 2 Width	355.6 mm

Package Level 2 Height	152.4 mm
Package Level 2 Length	355.6 mm

Additional Information

Brand Label	Kopex
Color	Metallic
Insulation Class	IP66
Material	Brass
Product Main Type	KOPEX-EX FLEXIBLE CABLE PROTECTION
Product Name	brass fitting for conduit
Product Type	Fixed, Straight Conduit Fitting

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

