

EXPQM0404

M20 STRAIGHT CONNECTOR FOR EXB04 CONDUIT



Conduit Fitting, Straight with External Male Thread, Conduit Size 20mm, M20 Thread, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP66 Rating, Nickel Plated Brass

General Information

Extended Product Type	• EXPQM0404
Product ID	• 7TCA297120R0170
EAN	• 5011949001329
Catalog Description	• M20 STRAIGHT CONNECTOR FOR EXB04 CO
Long Description	• Conduit Fitting, Straight with External Male Thread, Conduit Size 20mm, M20 Thread, Suitable for Unbraided Nylon Conduit, Approved for Zone 1 and 2, Zone 21 and 22, IP66 Rating, Nickel Plated Brass

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	7412200035

Dimensions

Product Net Weight	104.327 g
--------------------	-----------

Container Information

Package Level 2 Units	10 piece
Package Level 2 Width	25.4 mm
Package Level 2 Height	25.4 mm

Package Level 2 Length	25.4 mm
Additional Information	
Brand Label	Kopex
Color	Metallic
Insulation Class	IP66
Material	Brass
Product Main Type	KOPEX-EX FLEXIBLE CABLE PROTECTION
Product Name	brass fitting for conduit
Product Type	Fixed, Straight Conduit Fitting
Classifications	
ETIM 6	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

