

HAMM0909G1

NICKEL PLATE GLAND FOR 63MM CONDUIT



Liquid Tight Fitting for Conduit, ATEX Flameproof G1 Gland, Straight with External Male Thread, Conduit Size 63mm, M63 Thread, CSA, Group I & II, Zones 1, 2, 21 and 22, Class I Div2 ABCD, Class II Div1 EFG, Nickel Plated Brass with Epoxy Resin Barrier

General Information

Extended Product Type	• HAMM0909G1
Product ID	• 7TCA297090R0145
EAN	• 5011949016309
Catalog Description	• NICKEL PLATE GLAND FOR 63MM CONDUIT
Long Description	• Liquid Tight Fitting for Conduit, ATEX Flameproof G1 Gland, Straight with External Male Thread, Conduit Size 63mm, M63 Thread, CSA, Group I & II, Zones 1, 2, 21 and 22, Class I Div2 ABCD, Class II Div1 EFG, Nickel Plated Brass with Epoxy Resin Barrier

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	7412200000

Dimensions

Product Net Weight	1.266 kg
--------------------	----------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	73.66 mm

Package Level 1 Height	91.44 mm
Package Level 1 Length	68.58 mm
Package Level 2 Units	10 piece
Package Level 2 Width	355.6 mm
Package Level 2 Height	406.4 mm
Package Level 2 Length	355.6 mm

Additional Information

Brand Label	Kopex
Color	Metallic
Insulation Material	IP66 Rating
Material	Brass with Epoxy Resin Barrier
Product Main Type	KOPEX-EX FLEXIBLE CABLE PROTECTION
Product Name	KOPEX
Product Type	Liquid Tight Conduit Fitting with Flameproof Barrier

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121420

